

6399670




FIG. 1

6399670

FIG. 2





FIG. 3






FIG. 4




FIG. 5

குறைபாடு செய்துகொண்டு  
நோட்டோ நெதிர்வெள்ளு




FIG. 6




FIG. 7

## Effect of Z6030 Prehydrolyzed silane loading on the Apparent Viscosity of 40 wt.% nano-Alumina Coatings




FIG. 8




FIG. 9

FIG. 10

00000000000000000000000000000000




FIG. 11




FIG. 12

FIG. 13




FIG. 14




FIG.  
17

FIG. 15

FIG.  
18

FIG. 16

© 2017 00000000



FIG. 19




FIG. 20



FIG. 21



FIG. 22




FIG. 23

FIG. 24




FIG. 25




FIG. 26




FIG. 27

FIG. 28

© 1972 The McGraw-Hill Companies, Inc.

© 1972 by the American Association for the Advancement of Science




FIG. 29





FIG. 30



FIG. 31

FIG. 32






FIG. 33

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

## **BEST AVAILABLE IMAGES**

**Defective images within this document are accurate representations of the original documents submitted by the applicant.**

**Defects in the images include but are not limited to the items checked:**

- **BLACK BORDERS**
- **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- FADED TEXT OR DRAWING**
- **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- **SKEWED/SLANTED IMAGES**
- **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- **GRAY SCALE DOCUMENTS**
- **LINES OR MARKS ON ORIGINAL DOCUMENT**
- **REFERENCE (S) OR EXHIBIT (S) SUBMITTED ARE POOR QUALITY**
- **OTHER: \_\_\_\_\_**

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image problem Mailbox.**